

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
October 1969

Release:
December 3, 1969
3:00 P.M. EST

Inspected Poultry - There were 1,263 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during October under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 9 percent more than the previous month and 3 percent more than October 1968.

The number of head and pounds live weight inspected by classes were: Young chickens 232,472,000 head, 850,224,000 pounds; mature chickens 15,046,000 head, 70,030,000 pounds; fryer-roaster turkeys 941,000 head, 8,812,000 pounds; young turkeys 15,539,000 head, 327,011,000 pounds; old turkeys 17,000 head, 256,000 pounds; ducks 1,126,000 head, 7,155,000 pounds.

Poultry Certified As Wholesome in October totaled 927,644,000 pounds ready-to-cook weight of which 627,952,000 pounds were chilled and 299,692,000 pounds were frozen. Pounds certified by class of poultry were: Young chickens, 610,521,000; mature chickens, 44,659,000, fryer-roaster turkeys, 6,764,000; young turkeys, 259,550,000; old turkeys, 203,000; ducks, 5,127,000; and other poultry, 820,000 pounds.

Further Processed - Poultry inspected and used for further processing in October totaled 132,097,000 pounds ready-to-cook weight, compared with 109,830,000 pounds in October 1968. The October total consisted of 30,868,000 pounds young chickens, 33,602,000 pounds of mature chickens, 59,282,000 pounds of turkeys and 8,345,000 pounds of other poultry.

Poultry Cut-Up and Packaged during October totaled 167,242,000 pounds ready-to-cook weight compared with 145,507,000 pounds a year earlier. The breakdown by classes was: Young chickens, 147,300,000 pounds; mature chickens, 955,000 pounds; turkeys, 18,838,000 pounds; and other poultry, 149,000 pounds.

Ante-Mortem Condemnations during October were 3,533,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: Young chickens, 0.28 percent; mature chickens, 0.73 percent; fryer-roaster turkeys, 0.21 percent; young turkeys, 0.18 percent; old turkeys, 0.16 percent; and ducks, 0.07 percent.

Post-Mortem Condemnations in October were 35,843,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: Young chickens, 3.13 percent; mature chickens, 6.09 percent; fryer-roaster turkeys, 2.34 percent; young turkeys, 2.65 percent; and ducks, 1.74 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1969 WITH COMPARISONS

NUMBER INSPECTED	3/	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL : POULTRY
SEPTEMBER 1969	218,945	12,812	231,757	632	14,062	52	14,746	1,233	---	---	---
OCTOBER 1968	218,958	14,349	233,307	1,090	16,328	19	17,437	1,032	---	---	---
OCTOBER 1969	232,472	15,046	247,518	941	15,539	17	16,497	1,126	---	---	---
JAN.-OCT. 1968	1,992,193	124,363	2,116,556	9,214	62,118	1,406	72,738	8,806	---	---	---
JAN.-OCT. 1969	2,129,926	132,227	2,262,153	7,615	63,744	1,198	72,557	9,935	---	---	---
POUNDS INSPECTED	4/	804,101	60,176	864,277	5,668	277,709	619	283,996	7,635	260	1,156,168
SEPTEMBER 1969	798,972	66,911	865,883	9,973	338,218	303	348,494	6,817	728	728	1,221,922
OCTOBER 1968	850,224	70,030	920,254	8,812	327,011	256	336,079	7,155	1,204	1,204	1,264,692
OCTOBER 1969	7,062,392	570,929	7,633,321	82,183	1,210,152	27,370	1,319,705	55,651	3,215	3,215	9,011,892
JAN.-OCT. 1968	7,641,946	608,602	8,250,548	70,107	1,236,921	22,862	1,329,890	61,702	3,478	3,478	9,645,618
AVERAGE LIVELINEWEIGHT	5/	3.67	4.70	3.73	8.96	19.75	11.96	19.26	6.19	---	---
SEPTEMBER 1969	3.65	4.66	3.71	9.15	20.71	15.66	19.98	6.60	---	---	---
OCTOBER 1968	3.66	4.65	3.72	9.36	21.04	15.49	20.37	6.35	---	---	---
OCTOBER 1969	3.55	4.59	3.61	8.92	19.48	19.46	18.14	6.32	---	---	---
JAN.-OCT. 1968	3.59	4.60	3.65	9.21	19.40	19.08	18.33	6.21	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

SEPTEMBER 1969, 2,483; OCTOBER 1968, 2,489; AND OCTOBER 1969, 2,809.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

SEPTEMBER 1969, 33; OCTOBER 1968, 9; AND OCTOBER 1969, 16.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), OCTOBER 1969 WITH COMPARISONS 1/

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER- : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL : POULTRY
SEPTEMBER 1969	518,524	30,169	548,693	680	40,055	234	40,969	282	35	589,979
CHILLED FROZEN	59,487	8,421	67,908	3,720	180,730	257	184,707	5,164	109	257,888
TOTAL	578,011	38,590	616,601	4,400	220,785	491	225,676	5,446	144	847,867
OCTOBER 1968	513,624	34,534	548,158	1,914	36,655	---	38,569	122	99	586,948
CHILLED FROZEN	58,424	8,878	67,302	5,773	232,628	2,243	238,644	4,766	377	311,089
TOTAL	572,048	43,412	615,460	7,687	269,283	243	277,213	4,888	476	898,037
OCTOBER 1969	546,980	35,610	582,590	1,527	43,524	8	45,059	225	78	627,952
CHILLED FROZEN	63,541	9,049	72,590	5,237	216,026	195	221,458	4,902	742	299,692
TOTAL	610,521	44,659	655,180	6,764	259,550	203	266,517	5,127	820	927,644
JANUARY-OCTOBER 1968	4,540,622	285,063	4,825,685	14,224	149,294	4,091	167,609	1,549	279	4,995,122
CHILLED FROZEN	508,745	86,554	595,299	49,203	813,439	17,733	880,375	38,413	1,528	1,515,615
TOTAL	5,049,367	371,617	5,420,984	63,427	962,733	21,824	1,047,984	39,962	1,807	6,510,737
JANUARY-OCTOBER 1969	4,926,465	297,535	5,224,000	14,235	168,691	4,707	187,633	2,655	210	5,414,498
CHILLED FROZEN	543,212	90,999	634,211	40,039	814,621	13,366	868,026	41,112	1,841	1,545,190
TOTAL	5,469,677	388,534	5,858,211	54,274	983,312	18,073	1,055,659	43,767	2,051	6,959,688

1/ 1,000 POUNDS.

2/ REVISED.

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1969 WITH COMPARISONS 3/

	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
ANTE-MORTEM												
1,000 POUNDS (LIVEWEIGHT):												
OCTOBER 1968:	1,855	357	2,212	31	583	---	614	---	2	---	2,828	
OCTOBER 1969:	2,383	512	2,895	19	612	---	631	---	5	2	3,533	
JAN.-OCT. 1968:	23,842	4,138	27,980	185	2,394	82	2,661	82	12	9	30,662	
JAN.-OCT. 1969:	29,451	4,922	34,373	156	2,693	82	2,931	82	25	9	37,338	
PERCENT 1/												
OCTOBER 1968:	.23	.53	.25	.31	.17	.08	.17	.08	.02	.12	.23	
OCTOBER 1969:	.28	.73	.31	.21	.18	.16	.18	.16	.07	.23	.27	
POST-MORTEM												
1,000 LBS. (N.Y. DRESSED):												
OCTOBER 1968:	23,495	3,090	26,585	183	6,744	8	6,935	8	90	5	33,615	
OCTOBER 1969:	23,920	3,810	27,730	185	7,802	6	7,993	6	113	7	35,843	
JAN.-OCT. 1968:	228,777	24,532	253,309	1,455	23,073	723	25,251	723	605	30	279,194	
JAN.-OCT. 1969:	239,262	29,466	268,728	1,331	27,166	767	29,264	767	869	30	298,892	
PERCENT 2/												
OCTOBER 1968:	3.27	5.16	3.42	2.04	2.21	3.09	2.21	3.09	1.46	.77	3.06	
OCTOBER 1969:	3.13	6.09	3.35	2.34	2.65	2.76	2.64	2.76	1.74	.65	3.15	

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, OCTOBER 1969 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY	
	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP :
POUNDS USED READY-TO-COOK WEIGHT 2/										
SEPTEMBER 1969	25,200	142,515	28,584	555	51,502	16,361	5,915	348	111,201	159,779
OCTOBER 1968	22,558	130,805	35,476	481	44,602	14,122	7,194	99	109,830	145,507
OCTOBER 1969	30,868	147,300	33,602	955	59,282	18,838	8,345	149	132,097	167,242
JANUARY-OCTOBER 1968	218,424	1,166,006	313,914	5,669	307,863	104,543	58,828	1,160	899,029	1,277,378
JANUARY-OCTOBER 1969	227,124	1,366,244	320,571	6,657	397,113	132,322	67,789	3,841	1,012,597	1,509,064
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:										
SEPTEMBER 1969 3/	144	941	38	19	196	11	31	1	409	972
OCTOBER 1968	103	1,158	63	---	35	10	26	---	227	1,168
OCTOBER 1969	289	677	39	46	49	12	89	---	464	735
JANUARY-OCTOBER 1968 3/	806	9,913	806	17	264	72	413	2	2,289	10,004
JANUARY-OCTOBER 1969	1,463	8,922	382	96	582	87	381	7	2,808	9,112

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

2/ 1,000 POUNDS.

3/ REVISED.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1968 AND 1969

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED		INSPECTED		LIVWEIGHT		CERTIFIED					
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	14,353	14,739	59,206	61,267	4.12	4.16	42,288	43,873	2,081	2,340	3.91	4.25
E. N. CENTRAL	2,787	2,878	11,330	11,717	4.07	4.07	8,332	8,615	193	379	1.89	3.60
W. N. CENTRAL	5,112	5,410	19,186	21,065	3.75	3.89	13,749	15,021	450	662	2.61	3.50
S. ATLANTIC	93,144	99,196	343,927	364,332	3.69	3.67	245,728	261,811	11,386	10,291	3.68	3.14
S. CENTRAL	99,324	105,233	349,986	373,389	3.52	3.55	251,106	268,178	9,014	9,713	2.86	2.89
WEST	4,238	5,016	15,337	18,454	3.62	3.68	10,845	13,023	371	535	2.69	3.23
U. S.	218,958	232,472	798,972	850,224	3.65	3.66	572,048	610,521	23,495	23,920	3.27	3.13
MAINE	6,086	6,607	25,276	27,953	4.15	4.23	18,135	20,366	915	997	4.03	3.97
PENNSYLVANIA	7,253	7,362	29,589	30,081	4.08	4.09	21,017	21,191	1,065	1,218	4.00	4.51
INDIANA	1,198	1,316	4,573	5,016	3.82	3.81	3,363	3,706	55	169	1.34	3.74
WISCONSIN	1,544	1,518	6,474	6,381	4.19	4.20	4,760	4,676	129	203	2.21	3.53
MINNESOTA	817	864	3,329	3,760	4.07	4.35	2,504	2,835	48	58	1.60	1.71
MISSOURI	4,203	4,420	15,016	16,157	3.57	3.66	10,651	11,349	371	553	2.74	3.81
DELAWARE	8,359	8,920	32,539	35,896	3.89	4.02	23,365	25,452	1,028	1,190	3.52	3.69
MARYLAND	13,744	15,122	52,400	58,872	3.81	3.89	37,644	42,577	1,565	1,723	3.32	3.26
VIRGINIA	7,526	7,555	26,052	25,572	3.46	3.52	17,855	18,338	919	664	3.92	2.78
NORTH CAROLINA	24,108	25,998	92,323	97,406	3.83	3.75	66,009	69,868	2,483	2,432	2.99	2.78
SOUTH CAROLINA	2,829	2,882	10,654	10,056	3.77	3.49	7,353	7,062	421	315	4.40	3.48
GEORGIA	34,365	34,856	122,149	122,332	3.55	3.51	87,964	88,640	4,797	3,684	4.37	3.35
TENNESSEE	5,950	5,453	21,165	19,421	3.56	3.56	15,369	14,157	583	464	3.07	2.66
ALABAMA	24,918	26,611	89,993	94,524	3.61	3.55	63,700	67,590	3,132	2,736	3.87	3.22
MISSISSIPPI	16,049	17,089	57,534	59,923	3.58	3.51	42,305	44,255	1,126	1,017	2.17	1.88
ARKANSAS	31,584	33,061	106,995	115,915	3.39	3.39	76,186	81,755	2,503	3,488	2.60	3.35
LOUISIANA	4,566	5,293	16,617	19,503	3.64	3.68	11,903	14,195	297	408	1.99	2.33
TEXAS	13,557	14,888	48,249	53,975	3.56	3.63	34,826	39,067	1,189	1,272	2.74	2.62
WASHINGTON	1,157	1,125	4,379	4,358	3.79	3.87	3,066	3,024	87	135	2.21	3.44
CALIFORNIA	2,492	2,806	9,095	10,606	3.65	3.78	6,452	7,595	234	308	2.85	3.23

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1969

REGION AND STATE	TUBER- :CULOSIS:	LEU- :KOSIS:	SEPTI- :CEMIA:	AIRSAC- :CULITIS:	SYNO- :VITIS:	TUMORS	BRUISES:	CADAVER:	CONTAM- :INATION:	OVER- :SCALD:	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	315,285	133,627	33,433	10,055	1,432	3,930	14,307	26,132	3,766	18,595	560,562
E. N. CENTRAL	---	43,736	23,836	7,349	2,069	88	1,886	9,760	5,833	677	2,553	97,787
W. N. CENTRAL	---	55,710	32,039	41,606	4,236	350	2,511	3,241	10,324	1,489	5,205	156,712
S. ATLANTIC	---	1,386,697	424,150	264,062	30,976	9,236	40,535	92,427	263,968	24,650	107,196	2,643,897
S. CENTRAL	---	829,875	557,688	479,845	79,557	13,000	50,482	101,842	171,728	21,031	92,407	2,397,455
WEST	---	65,016	33,668	11,896	604	108	1,490	6,477	7,329	1,955	11,465	140,008
U. S.	---	2,696,319	1,205,008	838,191	127,497	24,214	100,834	228,055	485,314	53,568	237,421	5,996,421
MAINE	---	115,833	69,616	6,487	8,686	531	1,211	9,816	7,021	1,493	7,686	228,380
PENNSYLVANIA	---	187,888	56,104	26,606	1,129	703	2,337	3,666	16,809	2,231	9,933	307,406
INDIANA	---	29,918	7,678	4,317	356	25	975	5,741	1,600	319	448	51,377
WISCONSIN	---	13,557	15,818	2,908	1,675	61	907	3,968	4,047	353	1,965	45,259
MINNESOTA	---	2,506	4,110	375	54	82	197	100	2,146	108	2,494	12,172
MISSOURI	---	49,783	25,598	41,152	4,182	233	2,304	3,135	8,071	1,357	2,709	138,524
DELAWARE	---	199,142	39,097	37,708	3,101	568	3,551	9,047	14,460	3,095	10,996	320,765
MARYLAND	---	242,035	69,330	61,989	5,478	1,218	3,321	11,580	30,829	5,750	4,937	436,467
VIRGINIA	---	100,080	41,152	28,992	1,534	412	2,052	3,351	5,164	1,379	4,891	189,007
NORTH CAROLINA	---	211,576	120,006	53,173	7,192	3,330	14,961	22,551	97,682	6,159	38,068	574,698
SOUTH CAROLINA	---	44,132	12,723	9,935	633	320	1,630	4,771	6,936	538	3,265	84,883
GEORGIA	---	554,586	129,411	59,995	12,386	3,191	14,010	38,727	104,466	7,457	41,129	965,358
TENNESSEE	---	48,610	25,340	7,625	1,048	468	2,103	4,201	14,981	1,914	8,190	114,480
ALABAMA	---	454,697	104,270	26,971	7,169	4,000	10,506	21,605	43,478	7,057	16,038	695,791
MISSISSIPPI	---	53,858	28,019	58,388	4,471	2,187	5,719	8,158	19,829	1,836	23,133	205,618
ARKANSAS	---	156,179	258,320	309,175	36,224	3,165	13,324	43,214	57,094	4,487	27,191	908,373
LOUISIANA	---	18,594	41,983	8,649	13,415	704	3,800	1,945	6,150	284	1,924	97,448
TEXAS	---	81,925	77,738	35,736	16,105	2,273	10,720	18,757	24,487	3,401	13,567	284,709
WASHINGTON	---	13,677	7,990	2,947	391	56	625	1,729	1,344	1,175	1,814	30,748
CALIFORNIA	---	35,375	20,441	7,062	200	32	612	4,261	5,086	577	7,100	80,746

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1968 AND 1969

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED		INSPECTED		LIVWEIGHT		CERTIFIED		POUNDS (NYD)			
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	1,943	1,984	9,941	10,077	5.12	5.08	6,579	6,483	390	482	4.38	5.35
E. N. CENTRAL	1,656	1,714	7,061	7,169	4.26	4.18	4,527	4,410	296	328	4.68	5.13
W. N. CENTRAL	4,021	4,478	17,364	19,261	4.32	4.30	11,088	11,905	1,003	1,316	6.46	7.66
S. ATLANTIC	3,048	3,367	15,138	15,960	4.97	4.74	9,933	10,312	625	786	4.61	5.50
S. CENTRAL	2,377	2,281	12,033	12,522	5.06	5.49	8,029	8,384	517	554	4.79	4.95
WEST	1,304	1,222	5,374	5,041	4.12	4.12	3,256	3,165	259	344	5.37	7.64
U. S.	14,349	15,046	66,911	70,030	4.66	4.65	43,412	44,659	3,090	3,810	5.16	6.09
MAINE	387	347	2,434	2,249	6.29	6.48	1,729	1,549	87	81	3.99	4.01
NEW JERSEY	1,067	1,118	4,591	4,949	4.30	4.43	2,833	3,013	226	309	5.51	6.99
PENNSYLVANIA	106	101	733	740	6.89	7.32	509	514	22	18	3.27	2.75
OHIO	279	279	1,151	1,172	4.13	4.21	703	696	54	56	5.28	5.33
INDIANA	700	584	2,812	2,314	4.01	3.96	1,829	1,457	108	105	4.31	5.09
MINNESOTA	1,810	1,948	6,765	7,230	3.74	3.71	4,187	4,375	452	529	7.47	8.20
MISSOURI	935	1,099	5,548	6,484	5.94	5.90	3,779	4,291	210	347	4.23	6.00
DELAWARE	33	---	235	---	7.21	---	165	---	7	---	3.18	---
MARYLAND	642	---	2,648	---	4.12	---	1,696	---	106	---	4.50	---
VIRGINIA	138	83	962	603	6.99	7.22	685	425	34	18	3.89	3.34
NORTH CAROLINA	376	206	2,598	1,575	6.91	7.63	1,759	1,056	103	62	4.42	4.40
GEORGIA	1,144	1,727	5,802	7,820	5.07	4.53	3,879	5,103	214	363	4.11	5.18
ALABAMA	79	223	585	1,198	7.43	5.36	404	795	30	72	5.71	6.71
MISSISSIPPI	1,461	1,246	6,724	7,066	4.60	5.67	4,495	4,777	264	287	4.39	4.53
ARKANSAS	204	181	1,426	1,249	6.98	6.90	978	887	61	47	4.74	4.21
LOUISIANA	29	31	204	228	6.94	7.29	146	158	5	8	2.76	4.15
TEXAS	456	546	2,079	2,418	4.56	4.43	1,282	1,534	129	133	6.95	6.13
WASHINGTON	136	149	568	651	4.17	4.36	354	408	26	31	5.15	5.39
CALIFORNIA	1,123	1,003	4,673	4,115	4.16	4.10	2,815	2,575	223	301	5.33	8.21

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1969

REGION AND STATE	TUBER- : NO.	CULOSIS : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CEMTA : NO.	AIRSAC- : NO.	CULITIS : NO.	SYNO- : NO.	VIRII : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATTON : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	3,489	46,079	27	437	29,968	2,081	3,251	6,619	350	8,567	100,868						
E. N. CENTRAL	2,605	6,708	349	31,854	349	172	31,103	1,421	1,179	7,336	87	8,084	91,898						
W. N. CENTRAL	40,860	13,622	6,489	106,528	3,329	1,243	119,967	11,665	6,264	26,050	1,128	36,421	367,077						
S. ATLANTIC	---	---	177	64,577	1,131	813	42,554	4,890	5,482	32,097	836	25,387	184,433						
S. CENTRAL	---	---	14,102	43,113	303	1,786	19,294	4,512	2,904	10,533	307	21,841	118,695						
WEST	---	---	1,042	40,261	24	417	33,125	2,422	1,269	5,004	419	9,060	93,043						
U. S.	43,642	45,452	333,412	5,163	4,868	276,011	26,991	20,349	87,639	3,127	109,360	956,014							
MAINE	---	---	943	6,031	8	230	1,871	88	360	1,121	12	1,182	11,846						
NEW JERSEY	---	---	1,876	33,606	---	86	22,311	1,573	2,242	4,364	114	6,518	72,690						
PENNSYLVANIA	---	---	218	1,167	3	15	443	20	38	196	78	413	2,591						
OHIO	494	2,255	1,309	15,901	7	---	4,086	272	165	1,646	36	3,620	13,890						
INDIANA	285	972	15,901	40,860	---	10	11,407	255	760	2,934	3	1,057	33,584						
MINNESOTA	18,130	3,970	40,860	37,611	1,347	126	62,700	2,662	2,164	12,554	154	22,008	166,675						
MISSOURI	2,257	2,857	37,611	1,447	265	1,055	13,008	3,729	2,311	4,675	840	8,900	77,508						
VIRGINIA	9	389	1,447	1,447	18	18	292	88	29	290	20	40	2,640						
NORTH CAROLINA	---	---	599	3,605	228	152	666	119	178	1,567	17	1,645	8,776						
GEORGIA	---	---	1,712	29,736	357	283	22,478	1,924	2,689	17,860	541	11,837	89,417						
ALABAMA	---	---	3,159	9,681	12	22	348	211	342	1,242	31	653	15,701						
MISSISSIPPI	---	---	757	20,324	4	1,320	14,710	3,818	1,780	6,963	251	9,993	59,920						
ARKANSAS	---	---	382	4,371	58	145	397	90	221	575	3	375	6,617						
LOUISIANA	---	---	56	869	4	12	123	32	39	68	---	38	1,241						
TEXAS	---	---	9,638	7,022	220	270	3,608	345	499	1,652	21	10,761	34,036						
WASHINGTON	---	---	175	2,811	4	4	971	210	133	818	85	1,461	6,672						
CALIFORNIA	---	---	778	36,142	10	412	31,553	2,144	1,106	4,007	322	6,885	83,359						

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1968 AND 1969

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	INSPECTED	INSPECTED	INSPECTED	LIVWEIGHT	LIVWEIGHT	CERTIFIED	CERTIFIED	POUNDS (NYD)	PERCENT 2/
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	324	332	6,473	6,662	19.98	20.07	5,114	5,294	87	1.49
E. N. CENTRAL	2,153	1,925	43,975	42,024	20.43	21.83	35,519	33,585	759	1.92
W. N. CENTRAL	5,915	5,523	121,261	114,619	20.50	20.75	96,568	91,223	2,629	2.41
S. ATLANTIC	1,887	2,136	37,221	44,801	19.73	20.97	28,992	35,057	1,119	3.34
S. CENTRAL	2,519	2,164	52,523	45,221	20.85	20.90	41,474	35,408	1,225	2.59
WEST	3,450	3,459	76,765	73,684	21.74	21.30	61,616	58,983	925	1.34
U. S.	16,328	15,539	338,218	327,011	20.71	21.04	269,283	259,550	6,744	2.21
PENNSYLVANIA	306	320	6,053	6,467	19.77	20.22	4,787	5,154	79	1.44
OHIO	750	405	15,405	9,041	20.55	22.31	12,427	7,202	285	2.06
INDIANA	615	620	11,930	13,100	19.39	21.14	9,663	10,552	177	1.58
WISCONSIN	573	601	11,618	12,582	20.27	20.94	9,427	10,050	222	2.12
MINNESOTA	2,951	2,820	59,583	55,533	20.19	19.69	47,291	44,574	1,251	2.33
IOWA	1,170	1,162	24,821	25,103	21.22	21.61	20,008	19,798	447	2.00
MISSOURI	1,237	1,209	25,338	26,406	20.49	21.84	20,224	20,911	741	3.10
KANSAS	182	---	3,313	---	18.25	---	2,642	---	---	1.69
VIRGINIA	531	657	11,021	13,579	20.77	20.67	8,393	10,332	341	3.45
NORTH CAROLINA	988	1,128	18,620	22,735	18.85	20.16	14,679	18,086	533	3.18
ARKANSAS	1,207	1,117	25,555	23,498	21.18	21.03	20,068	18,406	669	2.55
TEXAS	942	814	18,845	16,737	20.00	20.56	15,039	13,007	435	2.57
COLORADO	435	414	9,498	8,997	21.84	21.72	7,708	7,278	90	1.05
UTAH	589	605	14,467	15,337	24.57	25.33	11,637	12,339	131	1.00
CALIFORNIA	2,089	2,067	44,018	41,637	21.07	20.15	35,287	33,174	621	1.56

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1969

REGION AND STATE	TUBER- :CULOSIS:	LEU- KOSIS	SEPTI- : CEMIA	AIRSAC- : CULITIS	SYNO- : VITIS	TUMORS	BRUISES	CADAVER:	CONTAM-:			OVER- SCALD	OTHER	TOTAL
									NO.	NO.	NO.			
N. ATLANTIC	---	93	1,454	996	124	2	33	106	387	2	36	36	3,233	
E. N. CENTRAL	---	277	16,652	10,752	1,598	21	534	1,081	1,300	334	492	492	33,041	
W. N. CENTRAL	---	491	72,024	37,185	5,361	80	1,751	2,821	7,353	1,292	1,712	1,712	130,070	
S. ATLANTIC	---	149	26,582	29,857	1,475	98	1,124	1,288	4,596	354	4,491	4,491	70,014	
S. CENTRAL	---	109	25,153	25,869	5,042	70	663	1,338	2,009	430	970	970	61,653	
WEST	---	504	30,877	20,742	6,088	88	655	1,230	1,572	349	1,212	1,212	63,317	
U. S.	---	1,623	172,742	125,401	19,688	359	4,760	7,864	17,217	2,761	8,913	8,913	361,328	
PENNSYLVANIA	---	69	1,335	987	122	2	28	102	367	2	36	36	3,050	
OHIO	---	23	2,712	1,602	177	1	70	230	207	169	58	58	5,249	
INDIANA	---	27	3,192	4,029	260	4	56	210	439	24	49	49	8,290	
WISCONSIN	---	196	6,557	2,567	930	11	389	277	495	80	69	69	11,571	
MINNESOTA	---	385	32,976	17,241	2,152	44	588	1,670	4,304	494	378	378	60,232	
IOWA	---	42	16,302	8,676	311	12	566	386	793	487	250	250	27,825	
MISSOURI	---	6	19,081	7,848	2,402	16	542	684	1,867	262	1,045	1,045	33,753	
VIRGINIA	---	15	14,024	7,906	94	7	191	326	688	106	77	77	23,434	
NORTH CAROLINA	---	49	8,749	17,060	1,235	87	647	772	2,986	25	3,885	3,885	35,495	
ARKANSAS	---	6	12,547	13,165	3,948	10	161	948	1,097	400	122	122	32,404	
TEXAS	---	93	11,027	11,933	1,039	55	452	330	801	19	841	841	26,590	
TEXAS	---	111	2,374	1,708	191	22	71	139	80	4	2	2	4,720	
COLORADO	---	46	5,123	1,904	549	3	144	224	800	72	855	855	9,720	
UTAH	---	285	20,794	16,429	1,734	36	224	667	610	266	342	342	41,387	
CALIFORNIA	---	285	20,794	16,429	1,734	36	224	667	610	266	342	342	41,387	

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEMEIGHT)		AVERAGE LIVEMEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
N. ATLANTIC	18	15	157	150	8.72	10.00	120	118	2	1	1.43	.74
E. N. CENTRAL	47	51	434	518	9.16	10.08	338	400	6	5	1.42	.98
W. N. CENTRAL	619	555	5,675	5,145	9.17	9.27	4,464	3,996	74	107	1.44	2.32
S. ATLANTIC	308	296	2,860	2,796	9.29	9.44	2,117	2,090	85	68	3.31	2.70
S. CENTRAL	66	10	627	89	9.48	8.62	485	70	12	1	2.04	1.44
WEST	32	14	220	114	6.81	8.28	163	90	4	3	1.84	2.65
U. S.	1,090	941	9,973	8,812	9.15	9.36	7,687	6,764	183	185	2.04	2.34
MINNESOTA	601	528	5,516	4,894	9.18	9.27	4,338	3,800	71	103	1.44	2.33
VIRGINIA	305	259	2,837	2,435	9.30	9.41	2,099	1,805	85	62	3.33	2.85
CALIFORNIA	22	---	141	---	6.32	---	99	---	3	---	2.18	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1969

REGION AND STATE	TUBERCULOSIS		LEUROSIS		SEPTICEMIA		AIRSACULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALE		OTHER		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	1	57	15	1	---	7	9	33	9	33	9	33	9	33	9	33	9	33	9	33	2	125
E. N. CENTRAL	---	---	---	136	16	2	1	14	35	50	1	50	35	50	35	50	35	50	35	50	35	50	3	257
W. N. CENTRAL	---	---	7	7,189	788	3	5	71	288	1,440	70	288	1,440	70	288	1,440	70	288	1,440	70	288	21	9,882	
S. ATLANTIC	---	---	271	4,156	1,182	17	2	114	362	577	1	577	362	577	362	577	362	577	362	577	362	19	6,701	
S. CENTRAL	---	---	---	47	34	9	---	2	1	10	---	1	10	---	1	10	---	1	10	---	1	3	106	
WEST	---	---	1	140	10	7	1	10	21	26	---	21	26	---	21	26	---	21	26	---	21	7	223	
U. S.	---	---	280	11,725	2,045	39	9	218	716	2,136	71	716	2,136	71	716	2,136	71	716	2,136	71	716	55	17,294	
MINNESOTA	---	---	5	7,005	553	3	4	65	284	1,415	64	284	1,415	64	284	1,415	64	284	1,415	64	284	21	9,419	
VIRGINIA	---	---	270	4,096	1,073	10	1	101	333	507	1	333	507	1	333	507	1	333	507	1	333	10	6,402	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE LIVEWEIGHT INSPECTED/1: (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
			1968	1969		1968	1969
			--POUNDS--			--PERCENT--	
			-1,000 POUNDS-			-1,000 POUNDS-	
N. ATLANTIC	1	9	18.32	---	1	1	---
E. N. CENTRAL	1	7	12.88	14.01	7	2	5.73
W. N. CENTRAL	8	106	92	102	86	3	2.81
S. ATLANTIC	7	129	77	15.54	102	4	3.30
S. CENTRAL	1	12	17.26	---	10	1	5.77
WEST	3	47	87	17.41	37	1	1.95
U. S.	19	303	256	15.66	243	8	3.09
MINNESOTA	7	---	92	14.01	---	2	1.87

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1969

REGION AND STATE	TUBER- : CULOSIS :	LEU- : KOSIS :	SEPTI- : CEMIA :	AIRSAC- : CULITIS :	SYNO- : VITIS :	TUMORS :	BRUISES :	CADAVER :	INATON :	SCALD :	OTHER :	TOTAL
												NO.
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	3	50	43	---	---	---	---	3	5	---	104
S. ATLANTIC	---	---	47	97	2	1	1	---	1	20	---	173
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	65	1	---	---	5	---	---	3	---	74
U. S.	---	3	162	141	2	1	6	4	28	4	---	351
MINNESOTA	---	3	50	43	---	---	---	---	3	5	---	104

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS.



0656 ARMLAD A122 20009 0001
ALBERT R MANN LIBRARY
ACQUISITIONS DIV

ITHACA NY 14850

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.